# **Safety Data Sheet**

Issue Date: 01-Nov-2013 Revision Date: 19-May-2015 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name E-Fusion RTU

Other means of identification

**SDS #** GFD-004

Recommended use of the chemical and restrictions on use

Recommended Use Specialty Coating.

Details of the supplier of the safety data sheet

Manufacturer Address Greenflow Distribution Inc. 1038 Legrand Blvd Charleston, SC 29492

**Emergency Telephone Number** 

Company Phone Number 888-292-0847

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid Odor Mild

## Classification

Acute toxicity - Inhalation (Vapors)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

# Signal Word

Danger

## **Hazard Statements**

Harmful if inhaled
Causes skin irritation
Causes serious eye damage
May cause an allergic skin reaction
Causes damage to organs through prolonged or repeated exposure



#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Use only outdoors or in a well-ventilated area

Wash face, hands and any exposed skin thoroughly after handling

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash it before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Isopropanol	67-63-0	<4
Boric Acid	10043-35-3	<3
Proprietary Surfactant	Proprietary	<3
lodopropynyl butylcarbamate	55406-53-6	<1.50
Proprietary	Proprietary	<1
Proprietary Alcohol	Proprietary	<0.5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get

medical advice/attention. Take off contaminated clothing and wash it before reuse.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician.

Most important symptoms and effects

Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction. Harmful if inhaled. Causes damage to organs through prolonged or repeated exposure.

Do not induce vomiting. Drink 1 or 2 glasses of water. Seek medical attention.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### **Specific Hazards Arising from the Chemical**

Not determined.

Ingestion

**Symptoms** 

Hazardous Combustion Products Carbon monoxide and other toxic vapors.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protection recommended in Section 8. Keep unprotected persons away.

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for

additional Ecological Information.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Pick up with wet mop, wet vac, or absorbent material. Dispose of contents/container to an

approved waste disposal plant.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Obtain special

instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Use personal protective

equipment as required. Wear protective gloves. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Wash face, hands, and any exposed skin thoroughly after handling. Contaminated work clothing should

not be allowed out of the workplace.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked

up. Do not store near combustible materials. Protect from sunlight.

Incompatible Materials Strong acids. Strong oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m <sup>3</sup>	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m <sup>3</sup>
		(vacated) TWA: 980 mg/m <sup>3</sup>	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m <sup>3</sup>
		(vacated) STEL: 1225 mg/m <sup>3</sup>	
Boric Acid	STEL: 6 mg/m <sup>3</sup> inhalable fraction	-	-
10043-35-3	TWA: 2 mg/m³ inhalable fraction		
Proprietary Alcohol	STEL: 1000 ppm	TWA: 1000 ppm	IDLH: 3300 ppm
		TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm
		(vacated) TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>
		(vacated) TWA: 1900 mg/m <sup>3</sup>	

## **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Use standard chemical splash-type mono goggles or face shield with safety glasses if

splashing is expected during handling of product.

**Skin and Body Protection** Rubber or neoprene footwear. Impervious clothing or apron materials such as rubber,

neoprene, nitrile or polyvinyl chloride. Wear liquid proof rubber or neoprene gloves.

Thoroughly rinse the outside of gloves with water prior.

**Respiratory Protection** Whenever workplace conditions warrant the use of a respirator, a respirator protection

program meeting OSHA 1910.134 must be followed utilizing a NIOSH/MSHA- approved

respirator. Wear mist eliminating mask if spray mist is a problem.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash face, hands and any exposed skin thoroughly after

handling.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical State Liquid

AppearanceClear liquidOdorMild

Color Clear Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH
9.5
Melting Point/Freezing Point
0 °C / 32 °F
Boiling Point/Boiling Range
Flash Point
Evaporation Rate
Flammability (Solid, Gas)
9.5
0 °C / 32 °F
100 °C / 212 °F
Not determined
Not determined
Liquid- Not Applicable

Property Values Remarks • Method

**Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined

**Vapor Density** >1

Specific Gravity 1.04 (Water = 1) @ 20°C (68°F)

Water Solubility 100%

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined Not determined **Oxidizing Properties VOC Content** <1%

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

## **Conditions to Avoid**

Poor ventilation.

## **Incompatible Materials**

Strong acids. Strong oxidizing agents.

## **Hazardous Decomposition Products**

Carbon monoxide and other toxic vapors.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

## **Product Information**

**Eye Contact** Causes serious eye damage.

**Skin Contact** Causes skin irritation. May cause an allergic skin reaction.

Inhalation Harmful if inhaled.

Ingestion Do not ingest.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropanol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Boric Acid 10043-35-3	= 2660 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	> 0.16 mg/L (Rat)4 h

Proprietary Surfactant	= 84 mg/kg (Rat)	-	-
lodopropynyl butylcarbamate 55406-53-6	= 1100 mg/kg ( Rat )	-	-
Proprietary	= 1517 mg/kg ( Rat )	> 4 g/kg (Rat)	= 1264 mg/m <sup>3</sup> ( Rat ) 4 h
Proprietary Alcohol	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L (Rat) 4 h

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** May cause an allergic skin reaction.

Carcinogenicity Group 3 IARC components are "not classifiable as human carcinogens".

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropanol 67-63-0		Group 3		Х
Proprietary Alcohol	A3	Group 1	Known	X

#### Reproductive toxicity

Sodium Borate: Sodium borate and boric acid interfere with sperm production, damage the testes and interfere with male fertility when given to animals by mouth at high doses. Boric acid produces developmental effects,including reduced body weight, malformations and death, in the offspring of pregnant animals given boric acid by mouth.

The above mentioned animal studies were conducted under exposure conditions leading to doses many times in excess of those that could occur through product use or inhalation of dust in occupational settings. Moreover, a human study of occupational exposure to sodium borate and boric acid dusts showed no adverse effect on fertility.

STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

# **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

#### **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Isopropanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow- through 1400000: 96 h Lepomis macrochirus µg/L LC50 11130: 96 h Pimephales promelas mg/L LC50 static		13299: 48 h Daphnia magna mg/L EC50
Boric Acid 10043-35-3		1020: 72 h Carassius auratus mg/L LC50 flow-		115 - 153: 48 h Daphnia magna mg/L EC50
		through		

lodopropynyl butylcarbamate	0.14 - 0.32: 96 h Lepomis		
55406-53-6	macrochirus mg/L LC50		
	flow-through 0.049 - 0.079:		
	96 h Oncorhynchus mykiss		
	mg/L LC50 flow-through 0.05		
	- 0.089: 96 h Oncorhynchus		
	mykiss mg/L LC50 0.18 -		
	0.23: 96 h Pimephales		
	promelas mg/L LC50 flow-		
	through		
Proprietary Alcohol	12.0 - 16.0: 96 h	EC50 = 34634 mg/L 30 min	9268 - 14221: 48 h Daphnia
	Oncorhynchus mykiss mL/L	EC50 = 35470 mg/L 5 min	magna mg/L LC50 2: 48 h
	LC50 static 13400 - 15100:	9	Daphnia magna mg/L EC50
	96 h Pimephales promelas		Static 10800: 24 h Daphnia
	mg/L LC50 flow-through 100:		magna mg/L EC50
	96 h Pimephales promelas		
	mg/L LC50 static		

## Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

# **Mobility**

Chemical Name	Partition Coefficient
Isopropanol 67-63-0	0.05
Boric Acid 10043-35-3	-0.757
Proprietary Alcohol	-0.32

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Isopropanol	Toxic
67-63-0	Ignitable
Boric Acid	Toxic
10043-35-3	
Proprietary Alcohol	Toxic
	Ignitable

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

**IMDG** 

Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Isopropanol	Present	Χ		Present		Present	Χ	Present	Χ	Χ
Boric Acid	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary Surfactant	Present	Х		Present		Present	Х	Present	Х	Х
lodopropynyl butylcarbamate	Present	Х		Present		Present	Х	Present	Х	Х
Proprietary				Present		Present				Х
Proprietary Alcohol	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Isopropanol - 67-63-0	67-63-0	<4	1.0
lodopropynyl butylcarbamate - 55406-53-6	55406-53-6	<1.50	1.0
Proprietary -		<1	1.0

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropanol	X	X	X
67-63-0			
lodopropynyl butylcarbamate	X		
55406-53-6			
Proprietary	X		
Proprietary Alcohol	X	X	X
, ,			

# **16. OTHER INFORMATION**

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards201Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection201C

Issue Date:01-Nov-2013Revision Date:19-May-2015Revision Note:New format

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**